Year 1 - 6

Multiplication and Division Calculation Policy

#MathsEveryoneCan




Notes and Guidance

Calculation Policy


Welcome to the White Rose Maths Calculation Policy.

This document is broken down into addition and subtraction, and multiplication and division.

At the start of each policy, there is an overview of the different models and images that can support the teaching of different concepts. These provide explanations of the benefits of using the models and show the links between different operations.




Each operation is then broken down into skills and each skill has a dedicated page showing the different models and images that could be used to effectively teach that concept.



There is an overview of skills linked to year groups to support consistency through out school. A glossary of terms is provided at the end of the calculation policy to support understanding of the key language used to teach the four operations.



Bar Model



Benefits

Children can use the single bar model to represent multiplication as repeated addition. They could use counters, cubes or dots within the bar model to support calculation before moving on to placing digits into the bar model to represent the multiplication.

Division can be represented by showing the total of the bar model and then dividing the bar model into equal groups.

It is important when solving word problems that the bar model represents the problem.

Sometimes, children may look at scaling problems. In this case, more than one bar model is useful to represent this type of problem, e.g. There are 3 girls in a group. There are 5 times more boys than girls. How many boys are there?


The multiple bar model provides an opportunity to compare the groups.

Number Shapes




$$5 \times 4 = 20$$

 $4 \times 5 = 20$




$$5 \times 4 = 20$$

 $4 \times 5 = 20$



$$18 \div 3 = 6$$



Benefits

Number shapes support children's understanding of multiplication as repeated addition.

Children can build multiplications in a row using the number shapes. When using odd numbers, encourage children to interlock the shapes so there are no gaps in the row. They can then use the tens number shapes along with other necessary shapes over the top of the row to check the total. Using the number shapes in multiplication can support children in discovering patterns of multiplication e.g. odd \times odd = even, odd \times even = odd, even \times even = even.

When dividing, number shapes support children's understanding of division as grouping. Children make the number they are dividing and then place the number shape they are dividing by over the top of the number to find how many groups of the number there are altogether e.g. There are 6 groups of 3 in 18.


Bead Strings



$$5 \times 3 = 15$$

 $3 \times 5 = 15$

$$15 \div 3 = 5$$



$$5 \times 3 = 15$$
$$3 \times 5 = 15$$

$$15 \div 5 = 3$$

$$4 \times 5 = 20$$

 $5 \times 4 = 20$

$$20 \div 4 = 5$$

Benefits


Bead strings to 100 can support children in their understanding of multiplication as repeated addition. Children can build the multiplication using the beads. The colour of beads supports children in seeing how many groups of 10 they have, to calculate the total more efficiently.

Encourage children to count in multiples as they build the number e.g. 4, 8, 12, 16, 20.

Children can also use the bead string to count forwards and backwards in multiples, moving the beads as they count.


When dividing, children build the number they are dividing and then group the beads into the number they are dividing by e.g. 20 divided by 4 – Make 20 and then group the beads into groups of four. Count how many groups you have made to find the answer.

Number Tracks



$$6 \times 3 = 18$$

 $3 \times 6 = 18$



$$18 \div 3 = 6$$

Benefits

Number tracks are useful to support children to count in multiples, forwards and backwards. Moving counters or cubes along the number track can support children to keep track of their counting. Translucent counters help children to see the number they have landed on whilst counting.


When multiplying, children place their counter on 0 to start and then count on to find the product of the numbers.

When dividing, children place their counter on the number they are dividing and the count back in jumps of the number they are dividing by until they reach O. Children record how many jumps they have made to find the answer to the division.


Number tracks can be useful with smaller multiples but when reaching larger numbers they can become less efficient.

Number Lines (labelled)





 $5 \times 4 = 20$



$$20 \div 4 = 5$$

Benefits

Labelled number lines are useful to support children to count in multiples, forwards and backwards as well as calculating single-digit multiplications.


When multiplying, children start at 0 and then count on to find the product of the numbers.

When dividing, start at the number they are dividing and the count back in jumps of the number they are dividing by until they reach O.


Children record how many jumps they have made to find the answer to the division.

Labelled number lines can be useful with smaller multiples, however they become inefficient as numbers become larger due to the required size of the number line.

Number Lines (blank)



A red car travels 3 miles.
A blue car 4 times further.
How far does the blue car travel?



A blue car travels 12 miles.
A red car 4 times less.
How far does the red car travel?


Benefits

Children can use blank number lines to represent scaling as multiplication or division.

Blank number lines with intervals can support children to represent scaling accurately. Children can label intervals with multiples to calculate scaling problems.

Blank number lines without intervals can also be used for children to represent scaling.

Base 10/Dienes (multiplication)




Benefits

Using Base 10 or Dienes is an effective way to support children's understanding of column multiplication. It is important that children write out their calculation alongside the equipment so they can see how the concrete and written representations match.

As numbers become larger in multiplication or the amounts of groups becomes higher, Base 10 / Dienes becomes less efficient due to the amount of equipment and number of exchanges needed.

Base 10 also supports the area model of multiplication well. Children use the equipment to build the number in a rectangular shape which they then find the area of by calculating the total value of the pieces This area model can be linked to the grid method or the formal column method of multiplying 2-digits by 2-digits.

Base 10/Dienes (division)




 $68 \div 2 = 34$



	 Tens
 	 Ones

$$72 \div 3 = 24$$




Benefits

Using Base 10 or Dienes is an effective way to support children's understanding of division.

When numbers become larger, it can be an effective way to move children from representing numbers as ones towards representing them as tens and ones in order to divide. Children can then share the Base 10/ Dienes between different groups e.g. by drawing circles or by rows on a place value grid.

When they are sharing, children start with the larger place value and work from left to right. If there are any left in a column, they exchange e.g. one ten for ten ones. When recording, encourage children to use the partwhole model so they can consider how the number has been partitioned in order to divide. This will support them with mental methods.

Place Value Counters (multiplication)



	17	×
2	70	U

1/0x	+ 1200	120	80	∞	× 32	44

Benefits


34


Using place value counters is an effective way to support children's understanding of column multiplication. It is important that children write out their calculation alongside the equipment so they can see how the concrete and written match.


As numbers become larger in multiplication or the amounts of groups becomes higher, Base 10 / Dienes becomes less efficient due to the amount of equipment and number of exchanges needed The counters should be used to support the understanding of the written method rather than support the arithmetic.

Place value counters also support the area model of multiplication well. Children can see how to multiply 2-digit numbers by 2-digit numbers.

Place Value Counters (division)







1223 4 489²

Benefits

Using place value counters is an effective way to support children's understanding of division.

When working with smaller numbers, children can use place value counters to share between groups. They start by sharing the larger place value column and work from left to right. If there are any counters left over once they have been shared, they exchange the counter e.g. exchange one ten for ten ones. This method can be linked to the part-whole model to support children to show their thinking.


Place value counters also support children's understanding of short division by grouping the counters rather than sharing them. Children work from left to right through the place value columns and group the counters in the number they are dividing by. If there are any counters left over after they have been grouped, they exchange the counter e.g. exchange one hundred for tentens


Times Tables


Skill	Year	Representations and models	s and models
Recall and use		Bar model	Ten frames
multiplication and	J	Number shapes	Bead strings
division facts for the	Ν	Counters	Number lines
2-times table		Money	Everyday objects
Recall and use		Bar model	Ten frames
multiplication and	J	Number shapes	Bead strings
division facts for the	Ν	Counters	Number lines
5-times table		Money	Everyday objects
Recall and use		Hundred square	Ten frames
multiplication and	S	Number shapes	Bead strings
division facts for the	٨	Counters	Number lines
10-times table		Money	Base 10


Skill	Year	Representations and models
Recall and use multiplication and division facts for the 3-times table	3	Hundred square Bead strings Number shapes Number lines Counters Everyday objects
Recall and use multiplication and division facts for the 4-times table	3	Hundred square Bead strings Number shapes Number lines Counters Everyday objects
Recall and use multiplication and division facts for the 8-times table	3	Bead strings Number tracks Number shapes Everyday objects
Recall and use multiplication and division facts for the 6-times table	4	Bead strings Number tracks Number shapes Everyday objects


Skill	Year	Representations and models	s and models
Recall and use multiplication and division facts for the 7-times table	4	Hundred square Number shapes	Bead strings Number lines
Recall and use multiplication and division facts for the 9-times table	4	Hundred square Number shapes	Bead strings Number lines
Recall and use multiplication and division facts for the 11-times table	4	Hundred square Base 10	Place value counters Number lines
Recall and use multiplication and division facts for the 12-times table	4	Hundred square Base 10	Place value counters Number lines














Skill: 8 times table

Year: 3



	M
\ \	Mc
24	
	Me
<i>X Y</i>	

2			7	M	
40		52	7 2		
91	81	71	61	51	41
′0	<u></u>			(5	

48

56

∞

<u>ත</u>

_		_			_		_	_	
92	82	(22)	62	52	42	32	22	12	2
93	83	73	63	53	43	33	23	13	3
94	84	74	64	54	44	34	24	14	4
95	85	75	65	55	45	35	25	15	5
96	86	76	66	<u>56</u>	46	36	26	<u>(16)</u>	6
97	87	77	67	57	47	37	27	17	7
86	88	78	68	85	48	38	28	18	8
99	89	79	69	59	49	39	29	19	9
100	90	8	70	60	50	40	30	20	10

0	_	_	8
∞	+	_	Š
5	+	-	Š
2	+	-	8
32	+	-	I
32 40 48 56 64 7	+	_	8
둫	+	-	8
56	+	-	8
4	+	-	Ø
72	+	-	Ĭ
72 80	+	-	ğ
8	+	-	Š
8	+	-	Š
		/	8

to support.

using number shapes


Highlight that all the

five multiples.


multiples are even

within each group of

seeing how each multiple is double the pattern in the ones to the 4 times table, to support. Make links using manipulatives number line or a supported by a counting in multiples, the eight times table, Encourage daily fours. Notice the Look for patterns in hundred square.



Skill: 6 times table



(12) 13

5

6

17

(1₈)

20

6

9

Year: 4

•••	
•••	
•••	

<u>.</u>	<u> </u>		
X	X		
X	X		
		_ \	
X			
4	X		

•••	
•••	
•••	

	••
	•
_	

Ξ		
	X	X
	X	X

41	JI
_	

		•
		•
4	_	(

41	
42	
4	ľ

Ŧ	•
Δ	Δ
Ŧ	7

41	
42	
43	
	Г

46 | 47 | 48 | 49

50

37

27

28

29

_	Т	_	

52	42
53	43
<u>54</u>)	44
5	4

٥	2	2	
77	63	53	
7.7	64	<u>54</u>	
75	65	55	
			г

3	3	3	3
84	74	64	54
85	75	65	55
86	76	66	56
3	7	6	(D

79

80

90

92	82	12
93	83	S
94	84	4
95	85	ò
96	86	ò
97	87	11
98	88	ò

36

42

48

54

60

8

90


O


 $\overline{\omega}$


24

30

66







to support. using number shapes Highlight that all the five multiples. within each group of threes. Notice the seeing how each to the 3 times table, using manipulatives the six times table, supported by a counting in multiples, multiples are even pattern in the ones to support. Make links hundred square. Encourage daily multiple is double the Look for patterns in number line or a

99 100



Skill: 9 times table

Year: 4

54	9
63	18
72	27
81	36
90	45

91	(18)	71	61	51	41	31	21	11	_
92	82	(22)	62	52	42	32	22	12	2
93	83	73	63	53	43	33	23	13	3
94	84	74	64	<u>54</u>	44	34	24	14	4
95	58	75	65	55	45	35	25	15	5
96	98	76	66	56	46	36	26	16	6
97	87	77	67	57	47	37	27	17	7
98	88	78	68	58	48	38	28	(8)	∞
99	89	79	69	59	49	39	29	19	<u></u>
100	90	80	70	60	50	40	30	20	10

support as well as support. Notice the pattern within the and ones using the manipulatives to using concrete the nine times table, Look for patterns in number line or a be supported using a backwards. This can both forwards and counting in multiples noting the odd, even hundred square to pattern in the tens hundred square. multiples. Encourage daily


Skill: 7 times table


Year: 4

42	7
49	14
56	21
63	28
70	35

91	81	71	61	51	41	31	21)	11	<u> </u>
92	82	72	62	52	42	32	22	12	2
93	83	73	63	53	43	33	23	13	3
94	84	74	64	54	44	34	24	14	4
95	85	75	65	55	45	35	25	15	5
96	86	76	66	56	46	36	26	16	6
97	87	(77)	67	57	47	37	27	17	9
86	88	78	68	58	48	38	28	18	∞
99	89	79	69	59	49	39	29	19	9
100	90	80	70	60	50	40	30	20	10

they already know support. in the multiples using commutativity. the numbers, however of obvious pattern in by a number line or a counting in multiples number shapes to the odd, even pattern Children can still see several facts due to learn due to the lack can be trickier to backwards, supported both forwards and Encourage daily hundred square. The seven times table







Multiplication


Multiply 4-digit by 1- digit numbers	Multiply 3-digit by 1- digit numbers	Multiply 2-digit by 1- digit numbers	Solve one-step problems with multiplication	Skill
Ŋ	4	3/4	1/2	Year
Place value counters	Place value counters Base 10	Place value counters Base 10	Bar model Number shapes Counters	Representatio
Short written method	Short written method	Short written method Expanded written method	Ten frames Bead strings Number lines	Representations and models

Skill	Year	Representations and models	models
Multiply 2-digit by 2- digit numbers	5	Place value counters Sh Base 10	Short written method Grid method
Multiply 2-digit by 3- digit numbers	Ű	Place value counters Sh	Short written method Grid method
Multiply 2-digit by 4- digit numbers	5/6	Formal written method	











How many apples do 4 bags hold? One bag holds 5 apples.














$$4 \times 5 = 20$$

$$5 \times 4 = 20$$


multiplication as Children represent many different ways. repeated addition in

solve problems. They are not expected to concrete and pictorial In Year 1, children use formally. record multiplication representations to

introduced to the In Year 2, children are multiplication symbol.


Skill: Multiply 2-digit numbers by 1-digit numbers

Year: 3/4



+		×		
1				Ξ
5	2		3	4
0	0	5	4	0
(5 >	(5			
(30)	× (4			
		0 0	1 2 5	1 2 5

34
×
5
17
\ddot{c}



×

S


I


0

Teachers may decide to first look at the expanded column method before moving on to the short multiplication method.


The place value counters should be used to support the understanding of the method rather than supporting the multiplication, as children should use times table knowledge.








 $245 \times 4 = 980$



encourage children to digit by 1-digit multiplying larger from resources when move children away the questions and exchanges needed in Limit the number of the written method. the understanding of continue to support value counters Base 10 and place short, formal written move towards the When moving to 3numbers. method. multiplication,

Skill: Multiply 4-digit numbers by 1-digit numbers




_	
C)
Ň	•
070)
)	<
C	J
ı	I
	•
Ç	
1	•
7	•
C	ì

		×		
ر د	5		_	Τh
	4		ω	ェ
_	7		2	Н
	8	3	6	0


Year: 5

method. the use of the written children can focus on encourage the use of struggling with their multiplying larger formal written children in their value counters are times tables, numbers and If children are understanding of the to use to support the best manipulative digit numbers, place multiplication grids so method. When multiplying 4-



Skill: Multiply 3-digit numbers by 2-digit numbers

5	
1000	100
1000	100
Į O	ढ
ğ	<u>5</u>
ğ	<u>5</u>
5	
5	
5	
5	

















<u></u>	
<u>5</u>	

6	
6	
\succeq	

6	
70	
Ä	

<u></u>	
6	
Ť	





		`` - ``
_ 		_

7	7		×		ᆉ
4	10	4		2	エ
∞	2	6	3	3	⊣
∞	0	8	2	4	0

Year: 5

efficient to use but when multiplying 3to highlight the size of Base 10 can be used become more Place value counters digits by 2-digits. to use the area model numbers. Children can continue

links with the grid method, seeing the formal written method. move towards the Encourage children to

$234 \times 32 = 7,488$

8	60	400	2
120	900	6,000	30
4	30	200	×

Skill: Multiply 4-digit numbers by 2-digit numbers

7		2	×		TTh
တ	4	5		2	Ŧ
တ	7	9		7	エ
9	Φ	7	2	3	-1
2	0	2	8	9	0

 $2,739 \times 28 = 76,692$

Year: 5/6

When multiplying 4-digits by 2-digits, children should be confident in the written method.

If they are still struggling with times tables, provide multiplication grids to support when they are focusing on the use of the method.


Consider where exchanged digits are placed and make sure this is consistent.

Division


Skill	Year	Representations and models	and models
Solve one-step problems with division (sharing)	1/2	Bar model Real life objects	Arrays Counters
Solve one-step problems with division (grouping)	1/2	Real life objects Number shapes Bead strings Ten frames	Number lines Arrays Counters
Divide 2-digits by 1- digit (no exchange sharing)	3	Straws Base 10 Bar model	Place value counters Part-whole model
Divide 2-digits by 1- digit (sharing with exchange)	3	Straws Base 10 Bar model	Place value counters Part-whole model

Skill	Year	Representations and models	and models
Divide 2-digits by 1- digit (sharing with remainders)	3/4	Straws Base 10 Bar model	Place value counters Part-whole model
Divide 2-digits by 1-	4/5	Place value counters	Place value grid
digit (grouping)		Counters	Written short division
Divide 3-digits by 1-	4	Base 10	Place value counters
digit (sharing with exchange)		Bar model	Part-whole model
Divide 3-digits by 1-	4/5	Place value counters	Place value grid
digit (grouping)		Counters	Written short division


Skill	Year	Representations and models	U)
Divide 4-digits by 1- digit (grouping)	5	Place value counters Place va Counters Written sho	Place value grid Written short division
Divide multi-digits by 2-digits (short division)	6	Written short division List of m	List of multiples
Divide multi-digits by 2-digits (long division)	6	Written long division List of m	List of multiples









There are 20 apples altogether. They are put in bags of 5.





division. children to count in number of groups. and counting the problems by grouping multiplication and between concrete on a number line. multiples and links to Children solve number shapes which fixed groups such as representations in repeated subtraction Grouping encourages helps to show the link They can use

















40


48


 $48 \div 2 = 24$

ones. partition into tens and that allow them to use manipulatives numbers, children can When dividing larger


share numbers into place value counters Straws, Base 10 and equal groups. can all be used to

the concrete with a clear written can provide children Part-whole models representation. method that matches





Skill: Divide 2-digits by 1-digit (grouping)




divisor.

they group by the

largest place value,

Starting with the

4	
Ŋ	
12	3




 $52 \div 4 = 13$

When using the short division method, children use grouping.


Year: 4/5

Language is important here. Children should consider 'How many groups of 4 tens can we make?' and 'How many groups of 4 ones can we make?'

Remainders can also be seen as they are left ungrouped.



Skill: Divide 3-digits by 1-digit (grouping)



4	
8	2
Ŋ	_
16	4

	Hundreds
	Tens
	Ones

 $856 \div 4 = 214$

Year: 5

support their number by a 1-digit dividing a 3-digit short division when understanding of to use grouping to number. Children can continue

them through a more counters and group draw their own this understanding. value grid to support be used on a place or plain counters can pictorial method. Place value counters Children can also

Skill: Divide 4-digits by 1-digit (grouping)

Year: 5

Th
I
Т
0

2	
8	4
Ŋ	2
13	6
12	6

Place value counters or plain counters can be used on a place value grid to support children to divide 4-digits by 1-digit.
Children can also draw their own counters and group them through a more pictorial method.

Children should be encouraged to move away from the concrete and pictorial when dividing numbers with multiple exchanges.

$8,532 \div 2 = 4,266$

Skill: Divide multi digits by 2-digits (short division)

Year: 6

1)		
V	0	
4 7	3	
7	6	

$$432 \div 12 = 36$$

$$7,335 \div 15 = 489$$

15	
7	0
73	4
133	8
13 ₅	9

30
45
60
75
90
105
120
135
150

quotient can be appropriate. and pictorial accurate as concrete written methods digits by 2-digits, remainders where the Children will also Children can write out become less effective. become the most to divide up to 4-When children begin rounded as solve problems with larger remainders. their calculations with representations multiples to support

Skill: Divide multi-digits by 2-digits (long division)

$$12 \times 2 = 24$$

$$30) 12 \times 3 = 36$$

$$12 \times 4 = 48$$

$$12 \times 5 = 60$$

$$12 \times 6 = 72$$

$$6) 12 \times 7 = 84$$

$$(30)$$
 $12 \times 3 = 36$
 $12 \times 4 = 48$

$$12 \times 4 = 48$$
 $12 \times 5 = 60$

 $432 \div 12 = 36$

$$12 \times 7 = 84$$

 $12 \times 8 = 96$

<u>x</u>6

$$12 \times 8 = 96$$

 $12 \times 7 = 108$
 $12 \times 10 = 120$

$7,335 \div 15 = 489$

 $2 \times 15 = 30$

$$3 \times 15 = 45$$

$$4 \times 15 = 60$$

(×80)

I

$$5 \times 15 = 75$$

$$10 \times 15 = 150$$

(×9)

Year: 6

division. numbers using long divide by 2-digit Children can also

their calculations with larger remainders. multiples to support Children can write out

appropriate. quotient can be solve problems with Children will also rounded as remainders where the

Skill: Divide multi digits by 2-digits (long division)

	_
ā	D
2	ט
•	:
)

$72 \div 15 = 24 \text{ r} 12$	S
$2 \div 15 = 24 \text{ r}$	
15 = 24 r	7
= 24 r	· ·
= 24 r	_
24 r	Ŋ
_	
_	N
72	42
<u>N</u>	ユ
	7

				_	
	1		1	Ŋ	
			3	2	
_	6	7	0	7	2
2	0	2	0	2	4
					_
					_
					2

$2 \times 15 = 30$	$1 \times 15 = 15$

$$3 \times 15 = 45$$

$$4 \times 15 = 60$$

$$5 \times 15 = 75$$

$$10 \times 15 = 150$$

When a remainder is left at the end of a calculation, children can either leave it as a remainder or convert it to a fraction.

This will depend on the context of the question.

Children can also answer questions where the quotient needs to be rounded according to the context.

7 0 7 2 7 0 2 4 5 4 5

 $372 \div 15 = 24 \frac{4}{5}$

Glossary

Array – An ordered collection of counters, cubes or other item in rows and columns.

Commutative – Numbers can be multiplied in any order.

Dividend – In division, the number that is divided.

Divisor – In division, the number by which another is divided.

Exchange – Change a number or expression for another of an equal value.

Factor – A number that multiplies with another to make a product.

Multiplicand – In multiplication, a number to be multiplied by another.

Partitioning – Splitting a number into its component parts.

Product – The result of multiplying one number by another.

Quotient – The result of a division

Remainder – The amount left over after a division when the divisor is not a factor of the dividend.

Scaling – Enlarging or reducing a number by a given amount, called the scale factor